

【論文発表】

- 1) 牧隆敏, 真下和宏, 南沢享, 安井清, 斉木和夫, 戸塚武和, 原口寿夫, 新村一郎. 不整脈児における水泳および潜水時の心電図についての検討. 日本小児循環器学会雑誌 3 (3): 311-319, 1988.
- 2) 南沢享, 近藤治郎, 安達隆二, 井元清隆, 梶原博一, 戸部道雄, 尾崎直, 松本昭彦. 孤立性右肺動脈欠損症の1症例. 心臓20 (6): 703-708, 1988.
- 3) 南沢享, 奥山和也, 小菅啓司, 金谷淳子. 風疹不顕性感染による寒冷凝集素症の1例 小児科診療 52 (3):454-459, 1989.
- 4) 安井清, 佐川浩一, 岩本真理, 南沢享, 戸塚武和, 牧隆敏, 新村一郎: A case of atrial reentrant tachycardia with fasciculoventricular fiber and dual atrioventricular nodal pathways. 心臓 22 (5): 544-549, 1990.
- 5) 南沢享, 牧隆敏, 小林博英, 佐川浩一, 岩本真理, 安井清, 新村一郎. 川崎病冠動脈障害における運動誘発性心室性不整脈. 日本小児循環器学会雑誌 6 (2): 231-239, 1990.
- 6) 南沢享, 佐近琢磨, 岩本真理, 荻田安時, 牧隆敏, 柴田利満, 新村一郎, 松山秀介. 孤立性右室低形成の1例. 日本小児科学会雑誌94 (8): 1862-1868, 1990.
- 7) 南沢享, 真下和宏, 戸塚武和, 奥山和也, 小菅啓司, 金谷淳子, 大久保慎一. 続発性ヘモクロマトーシスにより心機能低下をきたした1女児例. 小児科診療, 54 (5): 1249-1254, 1991.
- 8) 沢享, 岩本真理, 佐川浩一, 真下和宏, 牧隆敏, 新村一郎. 川崎病巨大冠動脈瘤患児に対する運動負荷試験. 心臓23(suppl. 1), 91-93, 1991.
- 9) 南沢享, 永峯博, 新村一郎, 斉木和夫, 柴田利満, 牧隆敏, 真下和宏, 岩本真理, 佐川浩一. 若年者におけるトレッドミル運動負荷試験: 急速負荷法(Dash法)とBruce protocolによる多段階負荷法との比較検討. 呼吸と循環39 (7): 679-682, 1991.
- 10) 南沢享, 新村一郎, 小林博英, 佐川浩一, 岩本真理, 真下和宏, 牧隆敏, 柴田利満. 呼気ガス分析を併用した小児トレッドミル運動負荷試験. 日本小児循環器学会雑誌7 (3): 405-412, 1991.
- 11) 南沢享, 新村一郎, 近藤治郎, 梶原博一, 柴田利満, 牧隆敏, 岩本真理. 運動誘発性心室性頻拍症、洞停止が冠動脈バイパス手術後消失した川崎病の1例. 心臓24 (5): 569-575, 1992.
- 12) 南沢享, 新村一郎, 柴田利満, 真下和宏, 安井清, 小林博英. 若年者における運動負荷時のカテコラミンと乳酸閾値. 日本小児循環器学会雑誌 8(2): 258-264, 1992.
- 13) 南沢享, 新村一郎, 柴田利満, 真下和宏, 小林博英. 若年者における運動負荷時血中カテコラミン値、乳酸値の変動. 心臓24(suppl. 2), 57-58, 1992.
- 14) 新村一郎, 柴田利満, 南沢享. 若年者における運動誘発性非持続性心室頻拍. 臨床スポーツ医学 9: 931-936, 1992.
- 15) 安井清, 小林博英, 南沢享, 真下和宏, 牧隆敏, 柴田利満, 新村一郎. 胎児期より観察した先天性完全房室ブロックの3例. 小児科33 (12): 1691-1697, 1992.
- 16) 南沢享, 奥山さなみ, 小林博英, 岩本真理, 柴田利満, 新村一郎, 星野和美, 梶原博一, 井元清隆, 近藤治郎. 上大静脈-右肺動脈吻合および下大静脈-左肺動脈吻合により血行再建をし得た無脾症候群の1例. 心臓25 (1): 45-50, 1993.
- 17) 南沢享, 中沢誠, 門間和夫. 完全大血管転換症術後患者におけるトレッドミル運動負荷試験: Arterial switch術とatrial switch術との比較. 心臓25(7): 765-769, 1993.
- 18) 南沢享, 中沢誠, 里見元義, 相羽純, 朴仁三, 門間和夫, 今井康晴. 三尖弁閉鎖におけるFontan型手術前後の心機能-若年者と年長者の比較検討. 日本小児循環器学会雑誌9 (2): 285-94, 1993.
- 19) 南沢享, 富田斉, 近藤千里, 相羽純, 里見元義, 中沢誠, 門間和夫, 小寺孝治郎, 澤渡和男, 石原和明, 星野修一, 今井康晴. Fontan手術後遠隔期に多彩な続発症を認めた1例. 日本小児循環器学会雑誌9

(10): 491-496, 1993.

- 20) 南沢享, 関千夏, 藤野英俊, 瀬口正史, 相羽純, 中西敏雄, 安藤正彦, 中沢誠, 門間和夫, 今井康晴 . 肺動脈弁欠損を伴うファロー四徴症の心血管奇形—神経堤細胞異常との関連性に関する臨床的検討. 日本小児科学会雑誌98 (2): 241-246, 1994.
- 21) 小林博英, 新村一郎, 南沢享, 真下和宏, 柴田利満. 急性心筋炎5例に併発した不整脈の臨床的検討—心室性頻拍の頻度と管理. 日本小児循環器学会雑誌10 (3): 367-374, 1994.
- 22) 南沢享, 安井清, 中沢誠, 門間和夫, 川越康博. Fontan型手術における運動時心拍数—酸素摂取量関係の傾斜(slope)に関する検討. 日本小児循環器学会雑誌11(1): 61-69, 1995.
- 23) 南沢享. ファロー四徴症心内修復術後の運動時心拍数上昇不良と血中カタコラミン値. 横浜医学46 (3): 209-218, 1995.
- 24) 小林博英, 柴田利満, 南沢享, 真下和宏, 新村一郎. 乳び胸と突然の呼吸停止を来したNoonan症候群の1例. 日本小児循環器学会雑誌11(6): 797-801, 1995.
- 25) Chien KR; Shimizu M; Hoshijima M, Minamisawa S; Grace AA. Toward molecular strategies for heart disease—past, present, future. *Jpn Circ J* 61 (2): 91-118, 1997.
- 26) Saeki Y, Kobayashi T, Minamisawa S, Sugi H. Protein kinase A increases the tension cost and unloaded shortening velocity in skinned rat cardiac muscle. *J. Mol. Cell. Cardiol.* 29 (6):1655-1663, 1997.
- 27) Chen J, Kubalak SW, Minamisawa S, Price RL, Becker D, Hickey R, Ross, J. Jr; Chien KR. Selective requirement of myosin light chain-2v in embryonic heart function. *J. Biol. Chem.* 273 (2): 1252-1256, 1998
- 28) Minamisawa S, Gu Y, Ross J. Jr., Chien KR, Chen J. A post-transcriptional compensatory pathway in heterozygous ventricular myosin light chain 2-deficient mice results in lack of gene dosage effect during normal cardiac growth or hypertrophy. *J Biol Chem* 274 (15): 10066-70, 1999.
- 29) Sah VP, Minamisawa S, Tam SP, Wu TH, Dorn II GW, Ross J. Jr., Chien KR, Brown JH. Cardiac-specific overexpression of RhoA results in sinus and atrioventricular nodal dysfunction and contractile failure. *J Clin Invest* 103 (12): 1627-1634, 1999.
- 30) Minamisawa S, Hoshijima M, Chu G, Ward CA, Frank K, Gu Y, Martone ME, Wang Y, Ross J. Jr., Kranias EG, Giles WR, Chien KR. Chronic phospholamban-sarcoplasmic reticulum calcium ATPase interaction is the critical calcium cycling defect in dilated cardiomyopathy. *Cell* 99 (3): 313-322, 1999.
- 31) Christensen G, Minamisawa S; Gruber PJ, Wang Y, Chien KR. High efficiency, long-term cardiac expression of foreign genes in living mouse embryos and neonates. *Circulation* 101 (2): 178-184, 2000.
- 32) Nguyễn-Trần VTB, Kubalak SW, Minamisawa S, Fiset C, Wollert KC, Brown, AB, Ruiz-Lozano P, Barrere-Lemaire S, Kondo R, Norman LW, Gourgie RG, Rahme MM, Feld, GK, Clark RB, Giles WR, Chien KR. A novel genetic pathway for sudden cardiac death via defects in the transition between ventricular and conduction system cell lineages. *Cell* 102 (5): 671-682, 2000.
- 33) Minamisawa S. Enhancement of calcium uptake via the sarcoplasmic reticulum is a potent therapeutic strategy for dilated cardiomyopathy and heart failure. *Exp. Opin. Ther. Patents* 10 (11): 1693-1701, 2000.
- 34) Minamisawa S (correspondence), Nakazawa M, Momma K, Imai Y, Satomi G. Effect of aerobic training on exercise performance in patients after the Fontan operation. *Am J Cardiol* 88 (6): 695-698, 2001.
- 35) 南沢享. 遺伝子改変マウスから明らかになったホスホランパンの重要性. *Clinical Calcium* 11 (6): 763-766, 2001.
- 36) Nakamura T, Ruiz-Lozano P, Ikeda Y, Iwanaga Y, Hinek A, Minamisawa S, Cheng CF, Kobuke K, Dalton N, Takada Y, Tashiro K, Ross J. Jr., Honjo T, Chien KR. Fibulin-5/DANCE is essential for elastogenesis in vivo. *Nature* 415 (6868): 171-175, 2002.
- 37) Crone S, Zhao Y, Fan L, Gu Y, Minamisawa S, Liu Y, Peterson KL, Chen J, Kahn R, Condorelli G, Ross J Jr., Chien KR, Lee K. ErbB2 is essential in the prevention of dilated cardiomyopathy. *Nat Med* 8 (5):

459–465, 2002.

- 38) Hoshijima M, Ikeda Y, Iwanaga Y, Minamisawa S, Date M, Gu Y, Iwatate M, Li M, Wang L, Wilson JM, Wang Y, Ross J Jr., Chien KR. Chronic suppression of heart-failure progression by a pseudophosphorylated mutant of phospholamban via *in vivo* cardiac rAAV gene delivery. **Nat Med** 8 (8): 864–871, 2002.
- 39) Iwatsubo K, Tao Y, Onda T, Toya Y, Schwencke C, Fujita T, Ebina T, Iwamoto T, Hori H, Minamisawa S, Umemura S, Ishikawa Y. Characterization of β -adrenergic receptor sequestration by newly developed whole cell binding assays. **J Cardiovasc Pharmacol** 41 (suppl. 1): S53–S56, 2002.
- 40) Minamisawa S, Hiratsuka E, Ruiz-Lozano P, Machida S, Furutani Y, Nishimura M, Takao A, Yanagisawa K, Momma K, Saeki Y, Matsuoka R. Ectopic expression of an embryonic skeletal myosin heavy chain in human fetal and Syrian hamster hearts. **J Muscle Res Cell Motil** 24 (7): 399–406, 2003.
- 41) Minamisawa S (correspondence), Wang Y, Chen J, Ishikawa Y, Chien KR, Matsuoka R. Atrial-chamber specific expression of sarcolipin is regulated during development and hypertrophic remodeling **J Biol Chem** 278 (11): 9570–9575, 2003.
- 42) Minamisawa S (correspondence), Sato Y, Tatsuguchi Y, Fujino T, Imamura S, Uetsuka Y, Nakazawa M, Matsuoka R. Mutation of the phospholamban promoter associated with hypertrophic cardiomyopathy. **Biochem Biophys Res Commun** 304 (1): 1–4, 2003.
- 43) Iwatsubo K, Toya Y, Fujita T, Ebina T, Schwencke C, Minamisawa S, Umemura S, Ishikawa Y. Ischemic preconditioning prevents ischemia-induced β -adrenergic receptor sequestration. **J Mol Cell Cardiol** 35(8):923–9, 2003.
- 44) Ikoma E, Tsunematsu T, Nakazawa I, Shiwa T, Hibi K, Ebina T, Mochida Y, Toya Y, Hori H, Uchino K, Minamisawa S, Kimura K, Umemura S, Ishikawa Y. Polymorphism of the type 6 adenylyl cyclase gene and cardiac hypertrophy. **J Cardiovasc Pharmacol** 42 (suppl. 1): S27–S32, 2003.
- 45) 松岡瑠美子、南沢享、秋元馨、市田蒔子、太田八千雄、小川俊一、小野安生、小山耕太郎、黒江兼司、小坂和輝、里見元義、城尾邦隆、瀬口正史、高橋悦郎、中川雅生、羽根田紀幸、馬場清、福重淳一郎、前田潤、村井孝安、森一博、森克彦、吉永正夫、安藤正彦。家族内発症心血管(心室中隔欠損、心房中隔欠損、ファロー四徴症、動脈管開存)に関する疫学調査報告—1999年8月～2002年7月。小児循環器学会誌 19 (6): 622–628, 2003.
- 46) Oshikawa J, Otsu K, Toya Y, Tsunematsu T, Hankins R, Kawabe J, Minamisawa S, Umemura S, Hagiwara Y, Ishikawa I. Insulin resistance in skeletal muscles of caveolin-3-null mice. **Proc. Natl. Acad. Sci. USA** 101(34):12670–5, 2004.
- 47) Minamisawa S (correspondence), Sato Y, Cho MC. Calcium cycling proteins in heart failure, cardiomyopathy, and arrhythmias. **Exp Mol Med** 36 (3): 193–203, 2004.
- 48) Iwatsubo K, Minamisawa S, Tsunematsu T, Nakagome M, Toya Y, Tomlinson JE, Umemura S, Scarborough RM, Levy DE, Ishikawa Y. Direct inhibition of type 5 adenylyl cyclase prevents myocardial apoptosis without functional deterioration. **J Biol Chem** 279(39):40938–45, 2004.
- 49) 南沢享。心不全治療における心筋筋小胞体機能改善の重要性。横浜医学 55 (3): 107–111, 2004.
- 50) Uemura N, Ohkusa T, Hamano K, Nakagome M, Hori H, Shimizu M, Matsuzaki M, Mochizuki S, Minamisawa S (correspondence), Ishikawa Y. Down-regulation of sarcolipin mRNA expression in chronic atrial fibrillation. **Eur J Clin Invest** 34: 723–730, 2004.
- 51) Minamisawa S (correspondence), Oshikawa J, Takeshima H, Hoshijima M, Wang Y, Chien KR, Ishikawa I, Matsuoka R. Junctophilin type 2 is associated with caveolin-3 and is down-regulated in the hypertrophic and dilated cardiomyopathies. **Biochem Biophys Res Commun** 325: 852–856, 2004.
- 52) Yoshida M, Minamisawa S, Shimura M, Komazaki S, Kume H, Zhang M, Matsumura K, Nishi M, Saito M, Saeki Y, Ishikawa Y, Yanagisawa T, Takeshima H. Impaired Ca^{2+} store functions in skeletal and cardiac

muscle cells from sarcocalumenin-deficient mice. *J Biol Chem* 280: 3500–3506, 2005.

- 53) Tadano M, Edamatsu H, Minamisawa S, Yokoyama U, Ishikawa Y, Suzuki N, Saito H, Wu D, Masago-Toda M, Yamawaki-Kataoka Y, Setsu T, Terashima T, Maeda S, Satoh T, Kataoka T. Congenital semilunar valvulogenesis defect in mice deficient in phospholipase C ϵ . *Mol Cell Biol* 25(6): 2191–2199, 2005.
- 54) Shimura M, Minamisawa S (correspondence), Yokoyama U, Umemura S, Ishikawa Y. Mechanical stress-dependent transcriptional regulation of the sarcolipin gene in the rodent atrium. *Biochem Biophys Res Commun* 334(3):861–6, 2005.
- 55) Yokoyama U, Minamisawa S (correspondence), Adachi-Akahane S, Akaike T, Naguro I, Funakoshi K, Iwamoto M, Nakagone M, Uemura N, Hori H, Yokota S, Ishikawa Y. Multiple transcripts of Ca^{2+} channel subunits and a novel spliced variant of α_1C subunit in the rat ductus arteriosus. *Am J Physiol Heart Circ Physiol* 290(4):H1660–70, 2006.
- 56) Minamisawa S, Ikeda Y. Sarcoplasmic reticulum function and heart failure: a novel therapeutic target for heart failure. *Clin Calcium*. 16(1):37–44, 2006.
- 57) Minamisawa S (correspondence), Uemura N, Sato Y, Yokoyama U, Yamaguchi T, Inoue K, Nakagone M, Hori H, Shimizu M, Mochizuki S, Ishikawa Y. Post-transcriptional down-regulation of sarcolipin mRNA by triiodothyronine in the atrial myocardium. *FEBS letters* 580 (9): 2247–2252, 2006.
- 58) 南沢享. Afternoon Tea 「野球—分析と統合のスポーツ」. 日本生理学会誌 68 (2): 62–3, 2006.
- 59) Fujita T, Otsu K, Oshikawa J, Hori H, Kitamura H, Ito T, Umemura S, Minamisawa S, Ishikawa Y. Caveolin-3 inhibits growth signal in cardiac myoblasts in a Ca^{2+} -dependent manner. *J Cell Mol Med* 10 (1): 216–24, 2006.
- 60) Yokoyama U, Minamisawa S (correspondence), Hong Q, Ghatak S, Akaike T, Segi-Nishida E, Iwasaki S, Iwamoto M, Misra S, Tamura K, Hori H, Yokota S, Toole BP, Sugimoto Y, Ishikawa Y. Chronic activation of the prostaglandin receptor EP4 promotes hyaluronan-mediated neointimal formation in the ductus arteriosus. *J Clin Invest* 116 (11): 3026–34, 2006. *Featured in "Editors' Choice" at Science, vol. 314, 895, 2006.*
- 61) Iwasaki S, Minamisawa S (correspondence), Yokoyama U, Akaike T, Hong Q, Nagasihima Y, Nishimaki S, Ishikawa Y, Yokota S. Interleukin-15 inhibits smooth muscle cell proliferation and hyaluronan production in rat ductus arteriosus. *Ped Res* 62 (4): 392–8, 2007. doi: none.
- 62) Yokoyama U, Sato Y, Akaike T, Ishida S, Sawada J, Nagao T, Quan H, Jin M, Iwamoto M, Yokota S, Ishikawa Y, Minamisawa S (correspondence). Maternal vitamin A alters gene profiles and structural maturation of the rat ductus arteriosus. *Physiol Genomics* 31(1): 139–57, 2007. doi: none.
- 63) Ulucan C, Wang X, Baljinnyam E, Bai YZ, Okumura S, Sato M, Minamisawa S, Hirotsani S, Ishikawa Y. Developmental changes in gene expression of Epac and its upregulation in myocardial hypertrophy. *Am J Physiol Heart Circ Physiol* 293 (3): H1662–72, 2007. doi: none.
- 64) Iwatsubo K, Suzuki S, Li C, Tsunematsu T, Nakamura F, Okumura S, Sato M, Minamisawa S, Toya Y, Umemura S, Ishikawa Y. Dopamine induces apoptosis in young, but not in neonatal, neurons via Ca^{2+} -dependent signal. *Am J Physiol Cell Physiol*. 293 (5): C1498–508, 2007. doi: none.
- 65) Shimura M, Minamisawa S (correspondence), Takeshima H, Jiao Q, Bai Y, Umemura S, Ishikawa Y. Sarcocalumenin alleviates stress-induced cardiac dysfunction by improving Ca^{2+} handling of the sarcoplasmic reticulum. *Cardiovasc Res* 77 (2): 362–70, 2008. doi: none.
- 66) Yokoyama U, Minamisawa S (correspondence), Quan H, Akaike T, Jin M, Otsu K, Ulucan C, Wang X, Baljinnyam E, Takaoka M, Sata M, Ishikawa Y. Epac1 is upregulated during neointima formation and promotes vascular smooth muscle cell migration. *Am J Physiol Heart Circ Physiol*. 295(4):H1547–55, 2008. doi: 10.1152/ajpheart.01317.2007.
- 67) Yokoyama U, Minamisawa S (correspondence), Quan H, Akaike T, Suzuki S, Jin M, Jiao Q, Watanabe M,

- Otsu K, Iwasaki S, Nishimaki S, Sato M, Ishikawa Y. PGE₂-activated Epac promotes neointimal cushion formation of the rat ductus arteriosus by a process distinct from that of PKA. *J Biol Chem*. 1283 (42): 28702-9, 2008. doi: 10.1074/jbc.M804223200.
- 68) 奥村 敏、白 云哲、黒谷玲子、佐藤元彦、南沢 享、石川義弘. 5型アデニル酸シクラーゼ刺激薬は微小重力下での自律神経調節障害の治療薬になりうるか? *Space Utiliz Res* 24: 267-8, 2008.
 - 69) 赤池徹、南沢 享. 心筋症の分子生物学. *小児科* 49 (6): 795-801, 2008.
 - 70) Masumiya H, Asaumi Y, Nishi M, Minamisawa S, Adachi-Akahane S, Yoshida M, Kangawa K, Ito K, Kagaya Y, Yanagisawa T, Yamazaki T, Ma J, Takeshima H. Mitsugumin 53-mediated maintenance of K⁺ currents in cardiac myocytes. *Channels* 3 (1): 6-11, 2009. doi: none.
 - 71) 南沢享. 心臓の中のカルシウム: 旧友の新たな役目. *日本小児循環器学会雑誌*25(2): 22-29, 2009.(総説)
 - 72) Jiao Q, Bai Y, Akaike T, Takeshima H, Ishikawa Y, Minamisawa S (correspondence). Sarcalumenin is essential for maintaining cardiac function during endurance exercise training. *Am J Physiol Heart Circ Physiol*. 297(2):H576-82, 2009. doi: 10.1152/ajpheart.00946.2008.
 - 73) Akaike T, Jin MH, Yokoyama U, Izumi-Nakaseko H, Jiao Q, Iwasaki S, Iwamoto M, Nishimaki S, Sato M, Yokota S, Kamiya Y, Adachi-Akahane S, Ishikawa Y, Minamisawa S (correspondence). T-type Ca²⁺ channels promote oxygenation-induced closure of the rat ductus arteriosus not only by vasoconstriction but also by neointima formation. *J Biol Chem*. 284(36):24025-34, 2009. doi: 10.1074/jbc.M109.017061.
 - 74) Sato M, Jiao Q, Honda T, Kurotani R, Toyota E, Okumura S, Takeya T, Minamisawa S, Lanier SM, Ishikawa Y. Activator of G protein signaling 8 (AGS8) is required for hypoxia-induced apoptosis of cardiomyocytes: Role of gbetagamma and connexin43 (CX43). *J Biol Chem*. 284(45):31431-40, 2009. doi: 10.1074/jbc.M109.014068.
 - 75) Otsu K, Toya Y, Oshikawa J, Kurotani R, Yazawa T, Sato M, Yokoyama U, Umemura S, Minamisawa S, Okumura S, Ishikawa Y. Caveolin gene transfer improves glucose metabolism in diabetic mice. *Am J Physiol Cell Physiol*. 298(3):C450-6, 2010. doi: 10.1152/ajpcell.00077.2009.
 - 76) Wakui H, Tamura K, Tanaka Y, Matsuda M, Bai Y, Dejima T, Masuda SI, Shigenaga AI, Maeda A, Mogi M, Ichihara N, Kobayashi Y, Hirawa N, Ishigami T, Toya Y, Yabana M, Horiuchi M, Minamisawa S, Umemura S. Cardiac-Specific Activation of Angiotensin II Type 1 Receptor-Associated Protein Completely Suppresses Cardiac Hypertrophy in Chronic Angiotensin II-Infused Mice. *Hypertension* 55 (5): 1157-64, 2010. doi: 10.1161/HYPERTENSIONAHA.109.147207.
 - 77) Yokoyama U, Minamisawa S (correspondence), Katayama A, Tang T, Suzuki S, Iwatsubo K, Iwasaki S, Kurotani R, Okumura S, Sato M, Yokota S, Hammond HK, Ishikawa Y. Differential regulation of vascular tone and remodeling via stimulation of type 2 and type 6 adenylyl cyclases in the ductus arteriosus. *Circ Res* 106 (12): 1882-92, 2010. doi: 10.1161/CIRCRESAHA.109.214924.
 - 78) Yokoyama U, Minamisawa S, Ishikawa Y. Regulation of vascular tone and remodeling of the ductus arteriosus. *J Smooth Muscle Res*. 46 (2): 77-87, 2010. doi: none
 - 79) 横山詩子、南沢享、中澤誠. 出生に関わる循環アダプテーション③動脈管の分子生物学. *Fetal & Neonatal Medicine* 2 (2): 12-15, 2010.(総説)
 - 80) Wakui H, Tamura K, Matsuda M, Bai Y, Dejima T, Shigenaga AI, Masuda S, Azuma K, Maeda A, Hirose T, Ishigami T, Toya Y, Yabana M, Minamisawa S, Umemura S. Intrarenal suppression of angiotensin II type 1 receptor binding molecule in angiotensin II-infused mice. *Am J Physiol Renal Physiol*. 299(5):F991-F1003, 2010. doi: 10.1152/ajprenal.00738.2009.
 - 81) Nakano H, Williams E, Hoshijima M, Sasaki M, Minamisawa S, Chien KR, Nakano A. Cardiac origin of smooth muscle cells in the inflow tract. *J Mol Cell Cardiol*. 50(2):337-45, 2011. doi: 10.1016/j.yjmcc.2010.10.009.

- 82) Jin MH, Yokoyama U, Sato Y, Shioda A, Jiao Q, Ishikawa Y, Minamisawa S (correspondence). DNA microarray profiling identified a new role of growth hormone in vascular remodeling of rat ductus arteriosus. *J Physiol Sci*. 61(3):167–79, 2011. doi: 10.1007/s12576-011-0133-3.
- 83) Onda A, Jiao Q, Nagano Y, Akimoto T, Miyamoto T, Minamisawa S (correspondence), Fukubayashi T. Acupuncture ameliorated skeletal muscle atrophy induced by hindlimb suspension in mice. *Biochem Biophys Res Commun*. 410(3):434–9. 2011. doi: 10.1016/j.bbrc.2011.05.152.
- 84) Koizumi S, Minamisawa S, Sasaguri K, Onozuka M, Sato S, Ono Y. Chewing reduces sympathetic nervous response to stress and prevents post-stress arrhythmias in rats. *Am J Physiol Heart Circ Physiol*. 301(4):H1551–8, 2011. doi: 10.1152/ajpheart.01224.2010.
- 85) Jiao Q, Takeshima H, Ishikawa Y, Minamisawa S (correspondence). Sarcalumenin plays a critical role in age-related cardiac dysfunction due to decreases in SERCA2a expression and activity. *Cell Calcium* 51(1):31–9, 2012. doi: 10.1016/j.ceca.2011.10.003.
- 86) Yokoyama U, Ishiwata R, Jin MH, Kato Y, Suzuki O, Jin H, Ichikawa Y, Kumagaya S, Katayama Y, Fujita T, Okumura S, Sato M, Sugimoto Y, Aoki H, Suzuki S, Masuda M, Minamisawa S, Ishikawa Y. Inhibition of EP4 signaling attenuates aortic aneurysm formation. *PLoS One* 7(5): e36724, 2012. doi: 10.1371/journal.pone.0036724.
- 87) Yokota T, Aida T, Ichikawa Y, Fujita T, Yokoyama U, Minamisawa S (correspondence). Low-dose thromboxane A2 receptor stimulation promotes closure of the rat ductus arteriosus with minimal adverse effects. *Pediatr Res* 72(2):129–36, 2012. doi: none
- 88) 横山詩子、石渡遼、大島登志男、南沢享、石川義弘. 三次元血管モデルを用いた動脈硬化性疾患の機序解明. *科学と工業*86 (9): 329–35, 2012.(解説)
- 89) Shimura D, Nakai G, Jiao Q, Osanai K, Kashikura K, Endo K, Soga T, Goda N, Minamisawa S (correspondence). Metabolomic Profiling Analysis Reveals Chamber-dependent Metabolite Patterns in the Mouse Heart. *Am J Physiol Heart Circ Physiol*. 305(4):H494–505, 2013. doi: 10.1152/ajpheart.00867.2012.
- 90) Liu NM, Yokota T, Maekawa S, Lü P, Tei I, Taniguchi H, Yokoyama U, Kato T, Minamisawa S (correspondence). Transcription Profiles of Endothelial Cells in the Rat Ductus Arteriosus during a Perinatal Period. *PLoS One*. 8(9):e73685, 2013. doi: 10.1371/journal.pone.0073685.
- 91) 川上翔士、南沢享. 酸素化によるラット動脈管平滑筋細胞からのエラスチン分泌の減少. *日本小児循環器学会雑誌* 29 (6) : 309–315, 2013.
- 92) 銭谷平、南沢享、古幡博. 霊長類全血血栓を用いた超音波血栓溶解療法における最小有効音響強度の検証. *東京慈恵会医科大学雑誌*128(1): 35–40, 2013.
- 93) Yokoyama U, Minamisawa S (correspondence), Shioda A, Ishiwata R, Jin MH, Masuda M, Asou T, Sugimoto Y, Aoki H, Nakamura T, Ishikawa Y. Prostaglandin E2 inhibits elastogenesis in the ductus arteriosus via EP4 signaling. *Circulation* 129(4): 487–96, 2014. *Featured in “Key Scientific Articles” at Global Medical Discovery, April 28, 2014.* <http://globalmedicaldiscovery.com/key-scientific-articles/prostaglandin-e2-inhibits-elastogenesis-ductus-arteriosus-via-ep4-signaling/>
- 94) doi: 10.1161/CIRCULATIONAHA.113.004726
- 95) Akaike T, Minamisawa S (correspondence). Role of ion channels in ductus arteriosus closure. *Human Genet Embryol* 3: 116, 2014. doi:10.4172/2161-0436.1000116(総説)
- 96) Ishiwata R, Yokoyama U, Matsusaki M, Asano Y, Kadowaki K, Ichikawa Y, Umemura M, Fujita T, Minamisawa S, Shimoda H, Akashi M, Ishikawa Y. Three-dimensional multilayers of smooth muscle cells as a new experimental model for vascular elastic fiber formation studies atherosclerosis. *Atherosclerosis* 233(2): 590–600. 2014. doi: 10.1016/j.atherosclerosis.2014.01.045.
- 97) Hsieh YT, Liu NM, Ohmori E, Yokota T, Kajimura I, Akaike T, Ohshima T, Goda N, Minamisawa S

- (correspondence). Transcription profiles of the ductus arteriosus in Brown-Norway rat with irregular elastic fiber formation. *Circ J* 78 (5): 1224–33, 2014. doi:org/10.1253/circj.CJ-13-1029
- 98) Kobirumaki-Shimozawa F, Inoue T, Shintani SA, Oyama K, Terui T, Minamisawa S, Ishiwata S, Fukuda N. Cardiac thin filament regulation and the Frank-Starling mechanism. *J Physiol Sci*. 64(4):221–32, 2014. (総説) doi: 10.1007/s12576-014-0314-y.
- 99) Yokota T, Shiraishi R, Aida T, Iwai K, Liu NM, Yokoyama U, Minamisawa S (correspondence). Thromboxane A₂ receptor stimulation promotes closure of the rat ductus arteriosus through enhancing neointima formation. *PLoS One* 9(4): e94895, 2014. doi: 10.1371/journal.pone.0094895
- 100) Jiao Q, Sanbe A, Zhang X, Liu JP, Minamisawa S. □B-Crystallin R120G variant causes cardiac arrhythmias and alterations in the expression of Ca²⁺ handling proteins and ER stress in mice. *Clin Exp Pharmacol Physiol* 41(8):589–99, 2014. doi: 10.1111/1440-1681.12253.
- 101) Aoki R, Yokoyama U, Ichikawa Y, Taguri M, Kumagaya S, Ishiwata R, Yanai C, Fujita S, Umemura M, Fujita T, Okumura S, Sato M, Minamisawa S, Asou T, Masuda M, Iwasaki S, Nishimaki S, Seki K, Yokota S, Ishikawa Y. Decreased serum osmolality promotes ductus arteriosus constriction. *Cardiovasc Res* 104(2):326–36, 2014. doi: 10.1093/cvr/cvu199
- 102) Kawakami S, Minamisawa S. Oxygenation decreases elastin secretion from rat ductus arteriosus smooth muscle cells. *Ped Int* 57(4):541–5. 2015. doi: 10.1111/ped.12684.
- 103) 南沢享: 第 12 回国際医学生生理学クイズ大会 2014(IMSPQ 2014)報告. 日本生理学会誌 77: 19–21, 2015.
- 104) Yasuda S, Higano S, Ishiyama A, Ono Y, Kajimura I, Minamisawa S. Magnetocardiograms early detection of pulmonary arterial hypertension using inverse problem analysis in rat model. *Conf Proc IEEE Eng Med Biol Soc* 2015; 4475–8, 2015. doi:10.1109/EMBC.2015.7319388.
- 105) Kobirumaki-Shimozawa F, Oyama K, Shimozawa T, Mizuno A, Ohki T, Terui T, Minamisawa S, Ishiwata S, Fukuda N. Nano-imaging of the beating mouse heart *in vivo*: importance of sarcomere dynamics, as opposed to sarcomere length *per se*, in the regulation of cardiac function. *J Gen Physiol* 147(1):53–62, 2016. doi: 10.1085/jgp.201511484.
- 106) Shimura D, Kusakari Y, Sasano T, Nakashima Y, Nakai G, Jiao Q, Jin M, Yokota T, Ishikawa Y, Nakano A, Goda N, Minamisawa S (correspondence). Heterozygous deletion of sarcolipin maintains normal cardiac function. *Am J Physiol Heart Circ Physiol*. 310(1):H92–H103, 2016. doi: 10.1152/ajpheart.00411.2015.
- 107) Kajimura I, Akaike T, Minamisawa S (correspondence). Lipopolysaccharide delays closure of the rat ductus arteriosus by induction of inducible nitric oxide synthase but not prostaglandin E₂. *Circ J*. 80(3):703–11, 2016. doi: 10.1253/circj.CJ-15-1053.
- 108) 南沢享: 動脈管閉鎖の分子機序解明にむけて. 日本小児循環器学会雑誌 32 (1): 2–8, 2016. (総説) doi: 10.9794/jspccs.32.2
- 109) Fujimoto Y, Urashima T, Shimura D, Ito R, Kawachi S, Kajimura I, Akaike T, Kusakari Y, Fujiwara M, Ogawa K, Goda N, Ida H, Minamisawa S. Low cardiac output leads hepatic fibrosis in right heart failure model rats. *PLoS One*. 11(2):e0148666, 2016. doi: 10.1371/journal.pone.0148666.
- 110) Onda A, Kono H, Jiao Q, Akimoto T, Miyamoto T, Sawada Y, Suzuki K, Kusakari Y, Minamisawa S, Fukubayashi T. New mouse model of skeletal muscle atrophy using spiral wire immobilization. *Muscle Nerve*. 54(4):788–91, 2016. doi: 10.1002/mus.25202.
- 111) Shimura D, Nakano A, Minamisawa S (correspondence). Sarcolipin in atrium-specific gene targeting. *Cardiovasc Regen Med* 2016; 3: e1297. (総説) doi: 10.14800/crm.1297.
- 112) 赤池徹、梶村いちげ、横山詩子、南沢享. 動脈管閉鎖のメカニズム—分子機序に基づく治療への再考—. 日本小児科学会雑誌 120 (10): 1444–52, 2016. (総説)
- 113) Ito K, Hongo K, Date T, Ikegami M, Hano H, Owada M, Morimoto S, Kashiwagi Y, Katoh D, Yoshino T,

- Yoshii A, Kimura H, Nagoshi T, Kajimura I, Kusakari Y, Akaike T, Minamisawa S, Ogawa K, Minai K, Ogawa T, Kawai M, Yajima J, Matsuo S, Yamane T, Taniguchi I, Morimoto S, Yoshimura M. Tissue Thrombin is Associated with the Pathogenesis of Dilated Cardiomyopathy. *Int J Cardiol* 228:821–827, 2017. doi: 10.1016/j.ijcard.2016.11.176.
- 114) Yokoyama U, Y Ichikawa, Minamisawa S, Ishikawa Y. Pathology and molecular mechanisms of coarctation of the aorta and its association with the ductus arteriosus. *J Physiol Sci* 67(2):259–270, 2017. doi: 10.1007/s12576-016-0512-x. (総説)
- 115) Kusakari Y, Urashima T, Shimura D, Amemiya E, Miyasaka G, Yokota S, Fujimoto Y, Akaike T, Inoue T, Minamisawa S. Impairment of Excitation–Contraction coupling in right ventricular hypertrophied muscle with fibrosis induced by pulmonary artery banding. *PLoS One* 12(1): e0169564, 2017. doi: 10.1371/journal.pone.0169564.
- 116) Akaike T, Du N, Lu G, Minamisawa S, Wang Y, Ruan H. A sarcoplasmic reticulum localized Protein phosphatase regulates phospholamban phosphorylation and promotes ischemia reperfusion injury in the heart. *J Am Coll Cardiol Basic Trans Science* 2(2):160–80, 2017. doi: 10.1016/j.jacbts.2016.12.002
- 117) 南沢享、平崎裕二: 心臓・大血管形成にみる環境適応. 生体の科学 68 (6): 534–547, 2017. (総説)
- 118) Ohira T, Higashibata A, Seki M, Kurata Y, Kimura Y, Hirano H, Kusakari Y, Minamisawa S, Kudo T, Takahashi S, Ohira Y, Furukawa S. The effects of heat stress on morphological properties and intracellular signaling of denervated and intact soleus muscles in rats. *Physiol Rep*. 5(15). pii: e13350, 2017. doi: 10.14814/phy2.13350.
- 119) Iuchi H, Sakamoto M, Matsutani D, Suzuki H, Kayama Y, Takeda N, Minamisawa S, Utsunomiya K. Time-dependent effects of ipragliflozin on behaviour and energy homeostasis in normal and type 2 diabetic rats: continuous glucose telemetry analysis. *Sci Rep* 7(1):11906, 2017. doi: 10.1038/s41598-017-12106-y.
- 120) Rose BA, Yokota T, Chintalgattu V, Ren S, Iruela-Arispe L, Khakoo AY, Minamisawa S, Wang Y. Cardiac myocyte p38 α kinase regulates angiogenesis via myocyte–endothelial cell cross-talk during stress-induced remodeling in heart. *J Biol Chem* 292(31):12787–12800, 2017. doi: 10.1074/jbc.M117.784553.
- 121) Fujimoto Y, Urashima T, Kawachi F, Akaike T, Kusakari Y, Ida H, Minamisawa S (correspondence). Pulmonary hypertension due to left heart disease causes intrapulmonary venous arterialization in rats. *J Thorac Cardiovasc Surg* 154(5):1742–1753, 2017. doi:10.1016/j.jtcvs.2017.06.053.
- 122) Fujimoto Y, Minamisawa S (correspondence). Elusive mechanisms responsible for pulmonary hypertension. *J Thorac Cardiovasc Surg* 155(1):282, 2018. doi: 10.1016/j.jtcvs.2017.09.021.
- 123) Lü P, Jiao Q, Shimura D, Kusakari Y, Liu F, Minamisawa S. Distinct vascular remodeling pattern of adult rats with carotid–jugular shunt. *Ann Vasc Surg*. 49:168–178, 2018. doi: 10.1016/j.avsg.2017.12.011.
- 124) Steiger D, Yokota T, Li J, Ren S, Minamisawa S, Wang Y. The serine/threonine-protein kinase/endoribonuclease IRE1 α protects the heart against pressure overload-induced heart failure. *J Biol Chem*, 293(25):9652–9661, 2018. doi: 10.1074/jbc.RA118.003448
- 125) Iwai K, Nagasawa K, Akaike T, Oshima T, Kato T, Minamisawa S (correspondence). CCN3 Secreted by prostaglandin E₂ inhibits intimal cushion formation in the rat ductus arteriosus. *Biochem Biophys Res Commun*. 503(4):3242–3247, 2018. doi: 10.1016/j.bbrc.2018.08.138.
- 126) Tanihata J, Nagata T, Ito N, Saito T, Nakamura A, Minamisawa S, Aoki Y, Ruegg UT, Takeda S. Truncated dystrophin ameliorates the dystrophic phenotype of mdx mice by reducing sarcolipin-mediated SERCA inhibition. *Biochem Biophys Res Commun*. 505(1): 51–59, 2018. doi: 10.1016/j.bbrc.2018.09.039.
- 127) Sakuma T, Akaike T, Minamisawa S. Prostaglandin E₂ receptor EP4 inhibition contracts rat ductus arteriosus. *Circ J*. 83(1):209–216, 2018 doi: 10.1253/circj.CJ-18-0761
- 128) Nakai G, Shimura D, Uesugi K, Kajimura I, Jiao Q, Kusakari Y, Soga T, Goda N, Minamisawa S

- (correspondence). Pyruvate dehydrogenase activation precedes the down-regulation of fatty acid oxidation in monocrotaline-induced myocardial toxicity in mice. *Heart Vessels*. 34(3):545–555, 2018. doi: 10.1007/s00380-018-1293-3.
- 129) Xiong PY, Baba S, Nishioka N, Fujimoto Y, Archer SL, Minamisawa S (correspondence). Left Atrial Stenosis Induced Pulmonary Venous Arterialization and Group 2 Pulmonary Hypertension in Rat. *J Vis Exp*. 141: e58787, 2018. doi: 10.3791/58787.
- 130) Akaike T, Shinjo S, Ohmori E, Kajimura I, Goda N, Minamisawa S. Transcriptional profiles in the chicken ductus arteriosus during hatching. *PLoS One*. 14(3):e0214139, 2019. doi: 10.1371/journal.pone.0214139. eCollection 2019.
- 131) Tanihata J, Nishioka N, Inoue T, Bando K, Minamisawa S. Urinary Titin Is Increased in Patients After Cardiac Surgery. *Front Cardiovasc Med*. 6:7, 2019. doi: 10.3389/fcvm.2019.00007. eCollection 2019.
- 132) Kishibuchi A, Akaike T, Minamisawa S. Standard-dose gentamicin does not increase risk of patent ductus arteriosus. *Pediatr Neonatol* 61(1): 45–50, 2020. doi: 10.1016/j.pedneo.2019.05.011
- 133) Iwaki R, Matsuhisa H, Minamisawa S, Akaike T, Hoshino M, Yagi N, Morita K, Shinohara G, Kaneko Y, Yoshitake S, Takahashi M, Tsukube T, Oshima Y. Effect of long-term administration of prostaglandin E₁ on morphological changes in ductus arteriosus. *Ann Thorac Surg* 110(6):2088–2095, 2020. doi: 10.1016/j.athoracsur.2020.02.053
- 134) Kuga K, Kusakari Y, Uesugi K, Semba K, Urashima T, Akaike T, Minamisawa S. Fibrosis growth factor 23 is a promoting factor for cardiac fibrosis in the presence of transforming growth factor- β 1. *PLoS One*. 15(4):e0231905, 2020. doi: 10.1371/journal.pone.0231905. eCollection 2020.
- 135) Yokota T, Li J, Huang J, Xiong Z, Zhang Q, Chan TW, Ding Y, Rau CD, Sung K, Ren S, Kulkarni RP, Hsiai T, Xiao X, Touma M, Minamisawa S, Wang Y. p38 mitogen-activated protein kinase regulates chamber specific perinatal growth in heart. *J Clin Invest* 130(10): 5287–5301, 2020. doi: 10.1172/JCI135859.
- 136) Liu F, Yao Z, Lü P, Jiao QB, Liu Q, Wu HX, You Y, Minamisawa S. Pathophysiologic role of molecules determining arteriovenous differentiation in adult life. *J Vasc Res* 57(5): 245–253, 2020. doi:10.1159/000507627 (Review)
- 137) Tanihata J, Fujii T, Baba S, Fujimoto Y, Morimoto S, Minamisawa S (correspondence). Troponin T amino acid mutation (Δ 210) knock-in mice as a neonatal dilated cardiomyopathy model. *Pediatr Res*. 89 (4): 846–857, 2021. doi: 10.1038/s41390-020-1016-1.
- 138) Yamada Y, Kusakari Y, Akaoka M, Watanabe M, Tanihata J, Nishioka N, Bochimoto H, Akaike T, Tachibana T, Minamisawa S. Thiamine treatment preserves cardiac function against ischemia injury via maintaining mitochondrial size and ATP levels. *J Appl Physiol (1985)*. 130(1):26–35, 2021. doi: 10.1152/jappphysiol.00578.2020.
- 139) Iwaki R, Matsuhisa H, Minamisawa S, Akaike T, Hoshino M, Yagi N, Morita K, Shinohara G, Kaneko Y, Yoshitake S, Takahashi M, Tsukube T, Oshima Y. Evaluation of ductal tissue in coarctation of the aorta using X-ray phase-contrast tomography. *Pediatr Cardiol* 42(3):654–661, 2021. doi: 10.1007/s00246-020-02526-5.
- 140) Liu N, Kawahira N, Nakashima Y, Nakano H, Iwase A, Uchijima Y, Wang M, Wu SM, Minamisawa S, Kurihara H, Nakano A. Notch and retinoic acid signals regulate macrophage formation from endocardium downstream of Nkx2-5. *Nature Commun* 14(1):5398, 2023. doi: 10.1038/s41467-023-41039-6.
- 141) Tanihata J, Minamisawa S. Urinary titin is not an early biomarker of skeletal muscle atrophy induced by muscle denervation in mice. *PLoS One*. 18(8): e0289185, 2023. doi: 10.1371/journal.pone.0289185. eCollection 2023.
- 142) Ihara K, Iwamiya S, Ikuta M, Soejima Y, Hiraoka Y, Nakano A, Minamisawa S, Furukawa T, Kuroyanagi H, Sasano T. Cytoplasmic mutant RBM20 causes arrhythmogenicity in murine atria. *J Mol Cell Cardiol*.

205:1–12, 2025. doi: 10.1016/j.yjmcc.2025.06.001.

- 143) Baba S, Shinjo S, Seya D, Bochimoto H, Akaike T, Nakano A, Minamisawa S (correspondence). Transgenic mice overexpressing Pitx2 in the atria develop tachycardia-bradycardia syndrome. *PLoS One*. 20(9):e0330397, 2025. doi: 10.1371/journal.pone.0330397.

【著書】

- 1) Tatsuguchi M, Noda S, Furutani Y, Minamisawa S, Hiratsuka E, Komatsu K, Kananuki H, Matsuoka R. Increased the expression of cardiotrophin-1 in the dilated cardiac myocytes. In: Clark EB, Nakazawa M, Takao A (ed). Etiology and morphogenesis of congenital heart disease: Twenty years of progress in genetics and developmental biology. Futura publishing company, pp. 95–99, 2000.
- 2) 南沢 享. 時空間条件つき遺伝子ターゲティング. 高尾篤良、門間和夫、中澤誠、中西敏雄(編集)臨床発達心臓病学改訂3版. 中外医学社、pp. 56–57, 2/1/2001.
- 3) 南沢 享. 遺伝子改変マウスからわかったカルシウムサイクリングの重要性. 小室一成(編集)目で見える循環器病フロンティアベーシック&クリニカルサイエンス、pp72–77. 4/10/02
- 4) Hoshijima M, Minamisawa S, Yasukawa H, and Chien KR, Molecular pathways for cardiac hypertrophy and heart failure progression, in Molecular Basis of Cardiovascular Disease 2nd ed. (ed. Chien KR) , pp273–292, 2004.
- 5) Minamisawa S, Matsuoka R. Sarcoplipin, a novel regulator of calcium cycling, is preferentially expressed in the murine and human atrium. In: Artman M, Benson WD, Srivastava D, Nakazawa M (ed). Cardiovascular Development and Congenital Malformations–Molecular and Genetic mechanisms. Blackwell Publishing, pp. 196–198, 2005.
- 6) 南沢 享. 動脈管の閉鎖機転:細胞外基質の役割. 山口徹、高本眞一、中澤誠、小室一成(編集)Annual Review 循環器2007. 中外医学社、pp. 33–38, 1/20/2007.
- 7) 横山詩子、南沢 享. 動脈管閉鎖の分子機構. 山岸敬幸、白石公(編集)先天性心疾患を理解するための臨床心臓発生学. メジカルビュー社、pp. 175–179, 11/1/2007.
- 8) Minamisawa S, Yokoyama U. Recent advances concerning the molecular mechanism of patent ductus arteriosus. In: P. Syamasundar Rao (ed). Congenital Heart disease–Selected Aspects. InTech – Open Access Publisher, pp. 85–96, 1/18/2012. ISBN 979–953–307–058–1
- 9) 南沢 享. 遺伝子工学の基礎. 早稲田大学先進理工学部生命医科学科 (編集).生命科学概論: 環境・エネルギーから医療まで. 朝倉書店、pp. 61–74, 4/10/2012.
- 10) 南沢 享. いちばんやさしい生理学 加藤尚志/南沢 享 (監修) 成美堂出版, 2015.
- 11) 南沢 享. 編集主幹. 日本生理学会教育委員会(編集) 生理学問題集(CBT準拠)、文光堂、pp1–180、2015/12/7.
- 12) Minamisawa S. Regulation of calcium uptake into the sarcoplasmic reticulum in the heart. In: Haruo Suji (ed). Muscle Contraction and Cell Motility – Fundamentals and Developments. Pan Stanford Publishing Pte.Ltd., pp. 303–332, 2016. ISBN 978–981–4745–17–8 (eBook), Print ISBN 978–981–4745–16–1.
- 13) Yokoyama U, Minamisawa S, Ishikawa Y. The Multiple Roles of Prostaglandin E₂ in the Regulation of the Ductus Arteriosus (Chapter 35). In: Nakanishi T, Markwald RR, Baldwin HS, Keller BB, Srivastava D, Yamagishi H, editors. Etiology and Morphogenesis of Congenital Heart Disease: From Gene Function and Cellular Interaction to Morphology. Tokyo: Springer; 2016. ISBN 978–4–431–54628–3
- 14) Sato Y, Higuchi T, Kobayashi H, Minamisawa S, Ida H, Ohashi T. Lentiviral Gene Transfer to iPS Cells: Toward the Cardiomyocyte Differentiation of Pompe Disease–Specific iPS Cells (Chapter 48). In: Nakanishi T, Markwald RR, Baldwin HS, Keller BB, Srivastava D, Yamagishi H, editors. Etiology and

Morphogenesis of Congenital Heart Disease: From Gene Function and Cellular Interaction to Morphology. Tokyo: Springer; 2016. ISBN 978-4-431-54628-3

- 15) Liu N-M, Minamisawa S. Unique phenotypes of endothelial cells in developing arteries: A lesson from the ductus arteriosus. In: Dan Simionescu and Agneta Simionescu (ed). Physiologic and Pathologic Angiogenesis – Signaling Mechanisms and Targeted Therapy. InTech – Open Access Publisher, pp. 85–96, 2017. ISBN 978-953-51-3024-6, Print ISBN 978-953-51-3023-9, DOI: 10.5772/64121.
- 16) 南沢 享. 第8章 心血管系. 佐久間康夫(総監訳) カラー図解 よくわかる生理学の基礎 第2版、メディカルサイエンスインターナショナル、pp198–233、2017/8/22.
- 17) 南沢 享. 第2章 循環生理学. 石川義弘, 岡村康司, 尾仲達史, 河野憲二 (総監訳) ガイトン生理学 原著第13版、エルゼビア・ジャパン株式会社、pp233–272、2018/3/20.
- 18) 南沢 享. 「循環生理、微細構造」日本小児循環器学会(編集) 小児・成育循環器学、診断と治療社、pp12–16、2018/7/12.
- 19) 南沢 享. 第21–24章. 鯉淵 典之(監修, 翻訳) 症例問題から学ぶ生理学 原書4版、丸善出版、pp51–118、2018/12/20.
- 20) Yokoyama U, Aoki R, Fujita S, Iwasaki S, Seki K, Asou T, Masuda M, Minamisawa S, Ishikawa Y. New Insights on How to Treat Patent Ductus Arteriosus (Chapter 37). In: Nakanishi T, Baldwin HS, Fineman JR, Yamagishi H, editors. Molecular Mechanism of Congenital Heart Disease and Pulmonary Hypertension. Springer Open; 2020. ISBN 978-981-15-1184-4; ISBN 978-981-15-1185-1 (eBook).
- 21) Shinjo S, Akaike T, Ohmori E, Kajimura I, Goda N, Minamisawa S. Transcriptional Profiles in the Chicken Ductus Arteriosus During Hatching (Chapter 40). In: Nakanishi T, Baldwin HS, Fineman JR, Yamagishi H, editors. Molecular Mechanism of Congenital Heart Disease and Pulmonary Hypertension. Springer Open; 2020. ISBN 978-981-15-1184-4; ISBN 978-981-15-1185-1 (eBook).
- 22) Akaike T, Minamisawa S. Inhibition of Cyclooxygenase Contracts Chicken Ductus Arteriosus (Chapter 41). In: Nakanishi T, Baldwin HS, Fineman JR, Yamagishi H, editors. Molecular Mechanism of Congenital Heart Disease and Pulmonary Hypertension. Springer Open; 2020. ISBN 978-981-15-1184-4; ISBN 978-981-15-1185-1 (eBook).
- 23) Sakuma T, Akaike T, Minamisawa S. Prostaglandin E2 Receptor EP4 Inhibition Constricts the Rat Ductus Arteriosus (Chapter 42). In: Nakanishi T, Baldwin HS, Fineman JR, Yamagishi H, editors. Molecular Mechanism of Congenital Heart Disease and Pulmonary Hypertension. Springer Open; 2020. ISBN 978-981-15-1184-4; ISBN 978-981-15-1185-1 (eBook).
- 24) Iwaki R, Matsuhisa H, Minamisawa S, Akaike T, Hoshino M, Yagi N, Morita K, Shinohara G, Kaneko Y, Yoshitake S, Takahashi M, Tsukube T, Oshima Y. Prostaglandin E2 Receptor EP4 Inhibition Constricts the Rat Ductus Arteriosus (Chapter 44). In: Nakanishi T, Baldwin HS, Fineman JR, Yamagishi H, editors. Molecular Mechanism of Congenital Heart Disease and Pulmonary Hypertension. Springer Open; 2020. ISBN 978-981-15-1184-4; ISBN 978-981-15-1185-1 (eBook).
- 25) 古川哲史、南沢 享. 心筋と骨格筋のメカノセンシング. 曾我部正博(編集)疾患に挑むメカノバイオロジー. 羊土社、pp. 166–171, 5/1/2020.
- 26) 横山詩子、南沢 享. 動脈管の発生・閉鎖とその異常. 山岸敬幸、白石公(編集)先天性心疾患を理解するための臨床心臓発生学. メジカルビュー社、pp. 223–228, 2/13/2021.
- 27) 南沢 享、横山詩子. 動脈管開存症. 山岸敬幸、白石公(編集)新先天性心疾患を理解するための臨床心臓発生学. メジカルビュー社、pp. 229–230, 2/13/2021.
- 28) 南沢 享. 循環器系. 鯉淵 典之(監修, 翻訳), 栗原 敏(監修, 翻訳) イラストレイテッド生理学 原書2版 (リッピンコットシリーズ). 全662ページ. 丸善出版、2021/5/6
- 29) 南沢 享. 循環器系. 岡田隆夫(編集)カラーイラストで学ぶ 集中講義 生理学 第3版. メジカルビュー社、pp. 158–193, 3/1/2022.

- 30) 佐久間康夫、鯉淵典之、安倍博、安西尚彦、泉崎 雅彦、上田陽一、岡村康司、神谷温之、黒澤美枝子、小山なつ、近藤保彦、酒井秀紀、関和彦、中島昭、林由起子、南沢享、箕越靖彦. 生理学用語ハンドブック. 日本生理学会監修、日本生理学会用語委員会編、丸善出版, 全324ページ. 3/29/2024. ISBN 978-4621309087.
- 31) 南沢享. 微細構造. 日本小児循環器学会(編集)小児・成育循環器学改訂2版. 診断と治療社, pp. 12-16, 7/31/2024. ISBN 9784787826329
- 32) 南沢享(編集). PT・OTビジュアルテキスト専門基礎 生理学 全335ページ、127/23/2024. ISBN 978-4-7581-1440-0

【講演実績】

- 1) 南沢享. 遺伝子工学によって作成されたマウスのin vivo 心機能解析、第51回東京心臓の会、東京、経団連会館、5/20/2000.
- 2) 南沢享. 筋小胞体機能亢進は新しい心不全治療戦略となり得るか？ 第30回横浜循環器セミナー、横浜、横浜プリンスホテル、12/1/2000
- 3) Minamisawa S, Hoshijima M, Wang Y, Lederer JW, Giles WR, Kranias EG, Ross J. Jr., Chien KR. Phospholamban gene inactivation improves in vivo cardiac function in cardiomyopathy International Symposium: Cardiac Function – Osaka 2001 Topics in Genomics, Proteomics, and Physiomics. Osaka, Senri Life Science Center, 2/8-9/2001
- 4) 南沢享. カルシウム制御遺伝子を標的とした新しい心不全治療、第24回遺伝医学研究会、東京、東京女子医大弥生講堂、3/9/2001
- 5) Minamisawa S, Hoshijima M, Wang Y, Lederer JW, Giles WR, Kranias EG, Ross J. Jr., Chien KR. Phospholamban gene ablation improves *in vivo* cardiac function in dilated and hypertrophic cardiomyopathy mouse models. The 65th annual scientific meeting of the Japanese Circulation Society, Kyoto, Kyoto International Conference Hall, 3/26/2001
- 6) 南沢享. 心不全 (MLP knockout) と不整脈 (HF1b knockout) model mouse のin vivo心機能解析、第78回日本生理学会大会、京都、同志社大学新町キャンパス、3/29/2001
- 7) 南沢享. ヒト心筋症の遺伝学的発症機転、第74回日本獣医循環器学会、相模原市、北里大学医学部、5/27/2001
- 8) Minamisawa S. Calcium cycling defects and heart failure. 2001 Annual meeting of Korean Society of Medical Biochemistry and Molecular Biology, Seoul, the Korean Science and Technology Center, 10/25/2001
- 9) Minamisawa S. Calcium cycling defects and heart failure. The fourth cardiovascular genomics symposium, Seoul, Samsung Seoul Hospital, 10/26/2001
- 10) 南沢享. 心筋筋小胞体機能と心肥大・心不全. 第14回ワイズマンフォーラム、津市、三重大学医学部、2/15/2002.
- 11) Minamisawa S, Matsuoka R, Ikeda Y, Hoshijima M, Kranias EG, Ross J. Jr., Chien KR. Calcium cycling defects and cardiomyopathy. The 66th annual scientific meeting of the Japanese Circulation Society, Sapporo, Royton Hotel, 4/24/2002
- 12) Minamisawa S, Matsuoka R, Ikeda Y, Hoshijima M, Ross J. Jr., Chien KR. Calcium uptake impairment is a critical event in heart failure and cardiomyopathy. The 6th Annual Scientific Meeting of the Japanese Heart Failure Society. Tokyo, Keio Plaza Hotel, 10/3/2002
- 13) Minamisawa S. EC coupling defects and heart diseases. International Society for Heart Research. The

20th Annual Meeting of the Japanese Section. Tokyo, The Jikei University School of Medicine, 11/23–24/2003

- 14) 南沢 享、竹島 浩. 筋小胞体カルシウム調節にかかわるNew Players. 第8回Molecular Cardiovascular Conference、余市郡、キロロ「ホテルピアノ」、9/5/2004.
- 15) 南沢 享. 心筋筋小胞体機能改善による新たな心不全治療戦略. 循環器内科特別講演会、新宿区、東京女子医大、12/14/2004.
- 16) Minamisawa S. (Symposiast and Organizer). Cardiac sarcoplasmic reticulum ATPase activity and heart diseases. The 82th Annual Meeting of the Physiological Society of Japan. Sendai, Sendai International Center, 5/18–20/2005
- 17) 南沢 享. 心筋筋小胞体機能と心疾患. 医学特論セミナー、名古屋市、名古屋大学環境医学研究所、8/30/2005.
- 18) 南沢 享. 心臓における筋小胞体機能の重要性. 生命医科学シンポジウム、新宿区、早稲田大学理工学部5号館、9/14/2005.
- 19) Minamisawa S. Pump up the heart: Calcium cycling defect and heart diseases. The 49th Annual Meeting of the Korean Society of Circulation. Seoul, Hilton Grand Hotel Seoul, 9/29/2005
- 20) Minamisawa S. Pump up calcium: A novel therapeutic target for heart failure. International Society for Heart Research. The 22th Annual Meeting of the Japanese Section. Osaka, Grand Cube Osaka–Osaka International Conference Center, 12/16/2005
- 21) 南沢 享. 心筋筋小胞体カルシウムATPase活性制御と心機能. 2005年度・生理学研究所研究会「心臓血管系におけるイオンチャネル学の新たな展開」岡崎市、生理学研究所、1/24–25/2006.
- 22) Minamisawa S. SERCA2a interacting proteins regulate cardiac function. The 11th La Jolla–Capri–Yamaguchi–Seoul Research Conference. Hagi, Hokumon Yashiki Hotel, 10/6–8/2006
- 23) 南沢 享、横山 詩子、赤池 徹. 動脈管閉鎖の分子機序. 第43回日本小児循環器学会総会・学術集会. 東京、京王プラザホテル、2007年 7 月 4–6日.
- 24) 南沢 享. 生理的血管内膜肥厚の分子機序—動脈管におけるプロスタグランジンEの新たな役割. 第21回 Vascular Biology研究会 岡山市、岡山大学、9/5/2007.
- 25) Minamisawa S. c-AMP dependent intimal cushion formation of the rat ductus arteriosus. The 4th Joint Scientific Symposium University of Bonn and Waseda University. Tokyo, Feb. 26th, 2008.
- 26) Minamisawa S. Prostaglandin E2 in the Ductus Arteriosus: A New Role for an Old Friend. CNSI-ASMeW Joint Symposium on Nano-scale Research into Biosensors, Biomaterials, and Nanotoxicology. Los Angeles, USA, March. 6th, 2008.
- 27) 南沢 享. Prostaglandin E-cAMP signals promote neointimal cushion formation in the ductus arteriosus. 第85回日本生理学会大会、東京、2008年3月27日. (シンポジウム、口頭)
- 28) Minamisawa S. Regulation of activity of sarcoplasmic reticulum calcium ATPase in the failing heart. The 72th Annual Scientific meeting of the Japanese Circulation Society. Fukuoka, March. 28th, 2008. (Plenary Session)
- 29) 南沢 享. Calcium in the heart: An old friend for new roles. 第44回日本小児循環器学会学術集会、郡山・ホテルハマツ、2008年7月4日. (教育講演)
- 30) 南沢 享. 構造変化から見た動脈管閉鎖機構. 第7回心臓血管発生研究会、磐梯熱海温泉 ホテル華の湯、2008年7月5日. (特別講演)
- 31) 南沢 享. プロスタグランジンによる血管内膜肥厚: A new role for an old friend. 岩手医科大学先端医療研究センター公開シンポジウム「バイオイメーキングと分子生物学による脳・血管解明—健康増進に向けた最先端研究」盛岡・岩手県医師会館、2008年7月19日. (基調講演)
- 32) Minamisawa S, Goda N, Ishikawa Y, Tamura K. Identification of regulatory factors and innovation of novel therapeutic strategy for neointimal thickening of arteries. ASMeW International Symposium. “Realizing

High Quality of Life and Extension of Health Life Expectancy” Waseda International Conference Center, Tokyo, August 27–28, 2008.

- 33) **Minamisawa S**, Animal model of ductus arteriosus: A new role of prostaglandin E. 2008 Pediatric Research Workshop 「What Animal Model Can Do in Pediatric Research」 by Taiwan Pediatric Association. Taipei, September. 13th, 2008.
- 34) **Minamisawa S**, Molecular mechanisms of neointimal thickening: A new role of prostaglandins, Taipei Institute of Biomedical Science in Academia Sinica, September. 15th, 2008.
- 35) **Minamisawa S**, Molecular mechanisms of anatomical closure of ductus arteriosus. Taipei Buddhist Tzu Chi General Hospital, September. 16th, 2008.
- 36) 南沢 享、横山 詩子. 動脈管閉鎖の分子機序: プロスタグランジンの予期せぬ役割. (ワークショップ: 1W15 心臓大血管形成における器官形成メカニズムの普遍性と独自性): 第32回日本分子生物学会. 横浜、パシフィコ横浜、2009年 12 月 9–12日.
- 37) **Minamisawa S**, A new role of prostaglandin E–cAMP pathway in neointima formation of the ductus arteriosus. Department of Anesthesiology Division of Molecular Medicine Special Seminar, March. 4th, 2010.
- 38) 南沢 享. プロスタグランジンEの新たな作用—動脈管リモデリングへの多面的関与: 第8回京都心血管代謝セミナー. 京都、杉浦ホール、2010年 6 月 4日.
- 39) **Minamisawa S**, A comprehensive approach to understand the formation of the cardiovascular network (Overview). The 88th Annual Meeting of the Physiological Society of Japan (2011.3.28–30, Yokohama) *J Physiol Sci*. 61(Suppl. 1):S25, 2011. (シンポジウム、口頭)
- 40) **Minamisawa S**, Yokoyama U, Ishikawa Y. cAMP medication for cardiovascular diseases. The 90th Annual Meeting of the Physiological Society of Japan (2013.3.27–29, Tokyo)[*J Physiol Sci*: 63 (suppl 1), S34, 2013]. (シンポジウム、口頭)
- 41) 南沢 享. プロスタグランジンEの血管リモデリング作用—血管発生及び大動脈瘤への関与. 自治医科大学大学院特別講義. 下野、自治医科大学. 2013年6月19日
- 42) 南沢 享. In vitro系心機能評価. 日本安全性薬理研究会第5回学術年会、東京、東京大学弥生講堂、2014年 2 月 14日.
- 43) **Minamisawa S**. The novel role of prostaglandin E in vascular remodeling: a lesson from ductus arteriosus. 7th Scientific Meeting of Asian Society for Vascular Biology. Buddhist Tzu Chi Medical Center, Hualien, Taiwan, October 27–29, 2016. (シンポジウム、口頭)
- 44) 南沢 享. 心血管におけるカルシウム調節の意義. 生理学研究所山手2号館2階西 セミナー室、2016年2月26日(大学院講義)
- 45) **Minamisawa S**. Prostaglandin E₂ regulates in vascular intimal thickening and elastogenesis: a lesson from the ductus arteriosus. Division of Molecular Medicine, Department of Anesthesiology, UCLA Cardiovascular Theme special guest lecture. UCLA, Los Angeles, USA, November 14th, 2017. (招待講演)
- 46) 南沢 享. 心筋筋小胞体でのカルシウム再取り込み機構. 第94回日本生理学会大会. 浜松. 2017年3月28日. (シンポジウム、口頭)
- 47) **Minamisawa S**. Prostaglandin E₂ promotes vascular remodeling of the ductus arteriosus. 31st Annual Cardiologists Conference. Rome, Italy, June 17th–19th, 2019. (招待講演)
- 48) 南沢 享. 肺静脈の発生と血管特性の成立機序の解明. 第33回東京循環器小児科治療Agora. 東京(ハイブリッド開催). 2022年10月. (特別講演・口頭)
- 49) 南沢 享. 日本生理学会教育委員会がやるべきこと、やりたいこと. 第100回日本生理学会大会. 京都. 2023年3月16日. (シンポジウム、口頭)
- 50) 鯉淵典之、中島 昭、椎橋実智雄、南沢 享. (シンポジウム) 生理学教育において日本生理学会が果たしてきた役割. 第100回日本生理学会大会. 京都. 3月16日. (シンポジウム、口頭).

- 51) 南沢 享. 心筋筋小胞体カルシウムポンプの制御機序__いかに臨床につなげるか. 第44回日本循環制御医学会総会・学術集会. 弘前. 2023年7月1日.(シンポジウム、口頭)
- 52) 南沢 享. 心房・静脈洞特異的Pitx2c遺伝子改変マウスと肺静脈・洞房結節形成. 生理研研究会「炎症・免疫系と心血管系の相互作用から切り拓く循環生理機能の解析」. 岡崎. 2023年10月12日.(特別講演)
- 53) 南沢 享. その講義、要りますか？ 第101回日本生理学会大会. 北九州. 2024年 3月.(シンポジウム、口頭)
- 54) 南沢 享. 心血管の発達生理. 第101回日本生理学会大会. 北九州. 2024年 3月. (教育講演、口頭)

9. その他

【受賞】

- 1) 横浜市立大学医学会賞(2003年4月19日、横浜市立大学医学会)
- 2) 梅原賞 (2010年8月9日、横浜総合医学振興財団)
- 3) 第1回日本小児科学会学術研究賞(2011年、日本小児科学会)
- 4) 第4回「日本小児循環器学会高尾賞」(2014年、日本小児循環器学会)
- 5) 日本宇宙航空環境医学会 功労賞 (2024年、日本宇宙航空環境医学会)

提出先・提出方法

- 提出先: 広報課 堀田理子
- メールアドレス: m.horita@b-w.ac.jp
- 提出方法: 手書き不可。Word ファイル添付、もしくはメール本文に直接入力して送信してください。